


fachada ventilada. ventilated façade

La Fachada Ventilada consta de los siguiente elementos:

- 1_Revestimiento: Define la cara exterior de la fachada y está compuesto por piezas de azulejo porcelánico.
- 2_Sistema de anclaje: Conjunto de elementos resistentes que transmiten al soporte los esfuerzos que recibe del revestimiento.
- 3_Aislante: Situado en la parte exterior del soporte.
- 4_Soporte (muros, forjado...): elemento constructivo resistente situado en la parte interior de la fachada y que transmite los esfuerzos de éste a la estructura del edificio.
- 7_Cámara de aire: formada por la separación existente entre el Revestimiento y el Aislante.

The Ventilated Façade consists of the following elements:

- 1_Cladding: Defines the outer face of the façade and is made up of ceramic tiles.
- 2_Fixing system: A set of resistant elements that transmit forces received by the cladding to the support.
- 3_Insulation: Located on the exterior side of the supporting wall.
- 4_Support (walls, slab, etc.): Resistant structural element located on the interior side of the façade which transmits the forces the façade withstands to the structure of the building.
- 7_Air chamber: The cavity formed by the separation between the Cladding and the Insulation.



sistema oculto concealed system

Es aquel en el que el elemento de sujeción de la baldosa cerámica no es visible.

Para ello en función del sistema de sujeción elegido, se le realiza a la baldosa unas hendiduras en su espesor. De esta forma el sistema de sujeción (grapa) quedará siempre oculto detrás de la pieza de porcelánico.



El sistema oculto consta de escuadras regulables y perfiles verticales. En este caso la sujeción del azulejo se realiza de forma puntual en 4 hendiduras situadas en el espesor del azulejo tal y como puede verse en la siguiente figura.

The concealed system is one in which the fixing components are not visible.

Depending on the anchorage system employed, a number of slots or grooves are formed in its edge, thus the fixing system (clamp) remains hidden at all times behind the ceramic element.

The concealed system consists of adjustable brackets and vertical profiles. In this case the piece is fixed at specific (local) points in 4 slots formed in the edge of the tile, as may be seen in the following figure.






proyecto project edificio de viviendas / housing block, Lucena (Córdoba)
producto product estampa











series y formatos disponibles

series and available sizes

PORCELANICO / PORCELAIN TILE

atacama CERAMICA <i>Bella Casa</i> 60x60 / 23⁵/₈"x23⁵/₈" 30x60 / 11¹³/₁₆"x23⁵/₈" 45x45 / 17³/₄"x17³/₄"	montana  30x60 / 11¹³/₁₆"x23⁵/₈" 45x90 / 17³/₄"x35⁷/₁₆"	estampa 30x60 / 11¹³/₁₆"x23⁵/₈" 45x90 / 17³/₄"x35⁷/₁₆"	orense  30x60/11¹³/₁₆"x23⁵/₈"	maestrazgo 30x60 / 11¹³/₁₆"x23⁵/₈" 60x60 / 23⁵/₈"x23⁵/₈"	skyline 45x90 / 17³/₄"x35⁷/₁₆"
 blanco  beige  gris  marengo  tabaco  negro	 blanco  beige  ocre	 beige  ocre  gris  rojo	 beige  gris	 beige  gris  marrón  negro	 blanco  beige  gris  marengo
 30x60  60x60/30x60  ↑ 10 mm (30x60) ↓ 10,8 mm (60x60)	 30x60  45x90  ↑ 10 mm (30x60) ↓ 11,3 mm (45x90)	 30x60  60x60/45x90/30x60  ↑ 10 mm (30x60) ↓ 11,3 mm (45x90)	 30x60  ↑ 10 mm	 30x60  ↑ 10,8 mm  ↑ 10 mm  60x60/ 30x60/30x30	 30x60  ↑ 11,3 mm  ↑ 10 mm

											
destonificado alto variety of shade: high	destonificado medio variety of shade: medium	destonificado suave variety of shade: light	porcelánico técnico throughbody porcelain tile	rectificado rectified	pasta coloreada colored body	Espesor Thickness	mate matt	brillo glossy	liso smooth	relieve relief	impresión digital inkjet printing

lúbeck	zumaia 	vanadio	segorbe	homestone	forum
60x60 / 23 ^{5/8} "x23 ^{5/8} " 30x60/11 ^{13/16} "x23 ^{5/8} "	45x90 / 17 ^{3/4} "x35 ^{7/16} "	30x60 / 11 ^{13/16} "x23 ^{5/8} " 60x60 / 23 ^{5/8} "x23 ^{5/8} " 45x90 / 17 ^{3/4} "x35 ^{7/16} "	45x90 / 17 ^{3/4} "x35 ^{7/16} "	30x60 / 11 ^{13/16} "x23 ^{5/8} " 60x60 / 23 ^{5/8} "x23 ^{5/8} " 45x90 / 17 ^{3/4} "x35 ^{7/16} "	30x60 / 11 ^{13/16} "x23 ^{5/8} " 60x60 / 23 ^{5/8} "x23 ^{5/8} "
 blanco	 marfil	 blanco	 beige	 blanco	 blanco
 beige	 ocre	 beige	 ocre	 beige	 beige
 gris	 gris	 ocre	 gris	 gris	 gris
 cemento	 marengo	 gris	 marengo	 marengo	 antracita
 marrón	 marrón	 marrón	 marrón	 tabaco	 marrón
 negro	 negro	 negro	 negro	 negro	 negro
   60x60/30x60    10,8 mm 	    11,3 mm  45x90	   marrón, negro, ocre  bge, blanco  60x60/45x90/30x60  10 mm (30x60)  10,8 mm (60x60)  11,3 mm (45x90)	   ocre, marengo  gris, bge, marrón, negro  45x90  11,3 mm (45x90)	   60x60 / 45x90 30x60  10 mm (30x60)  10,8 mm (60x60)  11,3 mm (45x90)	   30x60/60x60   10 mm (30x60)  10,8 mm (60x60)