


R25C 25X50
KMQ19000 MISTRAL BLANCO




R25D 25X50
KMQ1900K MISTRAL NEGRO



R25D 25X50
KMQ19009 MISTRAL AZUL



S480 3X50
KAYN600K LISTELO AYMAR NEGRO



S270 4X25
KMQL2009 LISTELO SIROCO AZUL




S520 10X50
KMQK800K LISTELO TARIFA NEGRO



S520 10X50
KMQK8009 LISTELO TARIFA AZUL

PAVIMENTO_FLOOR TILES / PORCELÁNICO ESMALTADO_GLAZED PORCELAIN TILES



P33C 33X33
GMQ0800K MISTRAL NEGRO



P33C 33X33
GMQ08009 MISTRAL AZUL

EMBALAJE_PACKING LIST	formato size	articulo item	ud. min.	vta./min. sales qty.	pz-cj/pcs-box	m²/ml/cj/box	kg/cj/box	cj/box/epl	m²/ml/epl	kg/epl
	33 x 33	Base	-	-	11	1,21	22,55	48	58,08	1.105
	25 x 50	Base	-	-	11	1,38	23,43	36	49,68	866
	10 x 50	Listelo Tarifa	5	-	10	5,00	9,00	-	-	-
	4 x 25	Listelo Siroco	5	-	30	7,50	2,58	-	-	-
	3 x 50	Listelo Aymara	5	-	10	5,00	3,31	-	-	-

DATOS TÉCNICOS_TECHNICAL DATA

REVESTIMIENTO_WALL TILES

25 x 50	> 10 %	-	-	GA	5	GHA*	GLA*	9,6 mm
---------	--------	---	---	----	---	------	------	--------


PAVIMENTO_FLOOR TILES

33 x 33	≤ 0,50%	Resiste	5	GA	5	GHA	GLA	8 mm
---------	---------	---------	---	----	---	-----	-----	------


* Consultar ficha técnica.

* Please check technical chart.





R25C 25X50
KMQ19001 MISTRAL BEIGE



R25D 25X50
KMQ1900D MISTRAL MOKA



R25D 25X50
KMQ19006 MISTRAL ROJO



S520 10X50
KMQK800D LISTELO TARIFA MOKA



S520 10X50
KMQK8006 LISTELO TARIFA ROJO




S480 3X50
KAYN6001 LISTELO AYMARA BEIGE



S270 4X25
KMQL2006 LISTELO SIROCO ROJO

PAVIMENTO_FLOOR TILES / PORCELÁNICO ESMALTADO_GLAZED PORCELAIN TILES



P33C 33X33
GMQ0800D MISTRAL MOKA



P33C 33X33
GMQ08006 MISTRAL ROJO

EMBALAJE_PACKING LIST	formato size	artículo item ud. min. vta./min. sales qty.	pz-cj/pcs-box	m²/ml/cj/box	kg/cj/box	cj/box/epl	m²/ml/epl	kg/epl
	33 x 33	Base	-	11	1,21	22,55	48	1.105
	25 x 50	Base	-	11	1,38	23,43	36	866
	10 x 50	Listelo Tarifa	5	10	5,00	9,00	-	-
	4 x 25	Listelo Siroco	5	30	7,50	2,58	-	-
	3 x 50	Listelo Aymara	5	10	5,00	3,31	-	-
DATOS TÉCNICOS_TECHNICAL DATA								
REVESTIMIENTO_WALL TILES								
25 x 50		> 10 %	-	-	GA	5	GHA*	9,6 mm
PAVIMENTO_FLOOR TILES								
33 x 33		≤ 0,50%	Resiste	5	GA	5	GHA*	8 mm

* Consultar ficha técnica.
* Please check technical chart.