

ONE

ONE GRIS / NEGRO



ONE 60x60/30X30

PAVIMENTO_ FLOOR TILES / PORCELÁNICO COLOREADO_ COLOURED BODY PORCELAIN TILES


matte
mate


anti hielo
frost resistance


canto rectificado
rectified edges


V2


Ligeramente destonificado
Slight variation

5

uso
use


no water +20%
for wet area 20%

30X60



Peldaño Doble/Double Step 30x60	S650	Peldaño Integral/Integral Step 30x60	S500	Rodapié Romo/Rounded Edge Skirting 8x60	S280
	Gris.....GOE05012 Negro.....GOE0501K Blanco.....GOE05010 Moka.....GOE0501D Beige.....GOE05011		Gris.....GOE05022 Negro.....GOE0502K Blanco.....GOE05020 Moka.....GOE0502D Beige.....GOE05021		Gris.....GOERQ002 Negro.....GOERQ00K Blanco.....GOERQ000 Beige.....GOERQ001 Moka.....GOERQ00D

EMBALAJE_ PACKING LIST	formato size	artículo item	pz-cj/pcs-box	m²/ml/cj/box	kg/cj/box	cj/box/epl	m²/ml/epl	kg/epl
	60 x 60	Base	3	1,08	24,32	32	34,56	778
	30 x 60	Base	6	1,08	24,16	32	34,56	773
	30 x 60	Peldaño	4	0,72	17,00	-	-	-
	30 x 60	Peldaño Doble	2	0,36	11,24	-	-	-
	8 x 60	Rodapié	10	6,00	11,30	-	-	-


matte


ant. hielo
frost resistance


canto rectificado
rectified edges


V2

Ligeramente destonificado
Slight variation


uso
use


no water +30%
no wet area: 30%


30X60



P64C 60X60
GOE42001 ONE BEIGE



P64D 60X60
GOE4200D ONE MOKA



P34C 30X60
GOE05001 ONE BEIGE



P34D 30X60
GOE0500D ONE MOKA

* Para colocaciones modulares, solicitar expresamente en el pedido a fábrica, compatibilidad de tono y calibre.
A product suitable for modular installation. For a modular installation, shade and caliber compatibility must be specifically requested when placing order. In modular installation, 2 mm grout joint.

DATOS TÉCNICOS_ TECHNICAL DATA									
PORCELÁNICO_ PORCELAIN TILES									
60 x 60	≤ 0,50%	Resiste	6-8	UA	5	UHA	ULA	11,3 mm	
30 x 60	≤ 0,50%	Resiste	5	UA	5	UHA	ULA	11,3 mm	




mate
matt


anti hielo
frost resistance


canto rectificado
rectified edges


no trazar +20%
do not trace JCTG



V2

Ligeramente destonificado
Slight variation



uso
use



P34D 30X60
GOE05002 ONE GRIS



P34D 30X60
GOE0500K ONE NEGRO



P34C 30X60
GOE05000 ONE BLANCO



P34D 30X60
GOE0500D ONE MOKA



S560 4X60
KKUDE012 LISTELO RAVEL GRIS



S560 4X60
KKUDE01D LISTELO RAVEL MOKA



S560 4X60
KKUDE002 LISTELO NUIT GRIS



S560 4X60
KKUDE00D LISTELO NUIT MOKA



S290 1,5X96
KCGVQ006 PERFIL INOX MATE



S290 1,5X96
KCDOL003 PERFIL INOX BRILLO


EMBALAJE_PACKING LIST	formato size	articulo item	pzs-cj/pcs-box	m²/ml/cj/box	kg/cj/box	cj/box/epl	m²/ml/epl	kg/epl
	30 x 60	Base	6	1,08	24,16	32	34,56	778
	4 x 60	Listelo Nuit	10	6,00	6,10	-	-	-
	4 x 60	Listelo Ravel	15	9,00	8,25	-	-	-
	1,5 x 96	Perfil Inox Brillo / Mate	10	9,60	4,00	-	-	-
DATOS TÉCNICOS_TECHNICAL DATA								
PORCELÁNICO_PORCELAIN TILES								
30 x 60			≤ 0,50%	Resiste	5	UA	5	UHA
								ULA
								11,3 mm



REVESTIMIENTO_WALL TILES / PASTA BLANCA_WHITE BODY




R25C 25X50
KOETP000 ONE BLANCO



R25C 25X50
KOETP001 ONE BEIGE



S350 4X25
KKUL2002 LISTELO INDIE GRIS




S350 4X25
KKUL200D LISTELO INDIE MOKA



S350 3X25
KOY9100K LISTELO STEIN NEGRO




S350 3X25
KOY91003 LISTELO STEIN MARRÓN



R23E 23,5X33
KOE06000 TESELA ONE BLANCO



R23E 23,5X33
KOE0600K TESELA ONE NEGRO



R23E 23,5X33
KOE06002 TESELA ONE GRIS



R23E 23,5X33
KOE06001 TESELA ONE BEIGE



R23E 23,5X33
KOE0600D TESELA ONE MOKA


PAVIMENTO_FLOOR TILES / PORCELÁNICO ESMALTADO_GLAZED PORCELAIN TILES



P33C 33X33
GHB0800K HABITAT NEGRO



P33C 33X33
GHB08002 HABITAT GRIS



P33C 33X33
GHB08015 HABITAT BEIGE



P33C 33X33
GHB08006 HABITAT MOKA

EMBALAJE_PACKING LIST	formato size	artículo item ud. min. vta./min. sales qty.	pz-cj/pcs-box	m²/ml/cj/box	kg/cj/box	cj/box/epl	m²/ml/epl	kg/epl
	25 x 50	Base	-	11	1,38	23,43	36	866
	33 x 33	Base	-	11	1,21	22,55	48	1.105
	23,5 x 33	Tesela	-	12	0,94	15,60	63	1.006
	4 x 25	Listelo Indie	5	30	7,50	6,00	-	-
	3 x 25	Listelo Stein	-	17	0,12	2,55	-	-

DATOS TÉCNICOS_TECHNICAL DATA

REVESTIMIENTO_WALL TILES

25 x 50	> 10 %	-	-	GA	5	GHA	GLA	9,6 mm
23,5 x 33	> 10 %	-	-	GA	5	GHA*	GLA	8,3 mm

PAVIMENTO_FLOOR TILES

33 x 33	≤ 0,50%	Resiste	5	GA	5	GHA	GLA	8,1 mm
---------	---------	---------	---	----	---	-----	-----	--------

* Consultar ficha técnica.
* Please check technical chart.