

JAIPUR &
XIAN

Keraben, S.A. Ctra. Valencia-Barcelona Km. 44,3 12520 Nules (Castellón) Spain
Tel. +34 964 659 500 Fax +34 964 674 245
www.keraben.com · keraben@keraben.com

Keraben
Cerámica Gres





JAIPUR &
XIAN

Keraben
Cerámica Gres



anti-slip



frost resistance



modified edge



CLASS I
PEI



moderate variation



no more than 20%
to not more than 20%



class 5



thickness 13mm

P100C

GXI27000



100x50
Xian Blanco

P100C

GXI27001



100x50
Xian Beige

P100D

GXI27005



100x50
Xian Miel

P100D

GXI2700K



100x50
Xian Negro

P100D

GXI27003



100x50
Xian Marrón

Peldaño Integral 100x50 S600



Beige	GXI27011
Miel	GXI27015
Marrón	GXI27013
Negro	GXI2701K

Peldaño Doble 100x50 S720



Beige	GXI27021
Miel	GXI27025
Marrón	GXI27023
Negro	GXI2702K



multi



anti-slip



beveled edge



class 1



moderate variation



no water



5



13mm

P125C


GXI39001



100x24,8
Xian Beige

S630

GXI39011



4

100x24,8
Decor Dinastía Beige

P125D

GXI39003



100x24,8
Xian Marrón

P125D


GXI39005



100x24,8
Xian Miel

S630

GXI39015




4

100x24,8
Decor Dinastía Miel

P125C


GX139000



100x24,8
Xian Blanco

S630

GX13901K



100x24,8
Decor Dinastia Negro



P125D

GX13900K



100x24,8
Xian Negro







XIAN · 64,2X64,2



multi
multi



anti-slip
frost resistance



canto rectificado
rectified edge



CLASE I
PEI



destonificado
moderate variation



uso
use

P64C

GXI33001



64,2x64,2
Xian Beige

P64D

GXI33003



64,2x64,2
Xian Marrón

P64C

GXI33000



64,2x64,2
Xian Blanco

P64D

GXI33005



64,2x64,2
Xian Miel

P64D

GXI3300K



64,2x64,2
Xian Negro

Peldaño Integral 32x64,2 S500



Beige.....GX134011
MielGX134015
Marrón.....GX134013
Negro.....GX13401K

Peldaño Doble 32x64,2 S650



Beige.....GX134021
MielGX134025
Marrón.....GX134023
Negro.....GX13402K

Rodapié Romo 8x64,2 S280



Beige.....KXIRP001
MielKXIRP005
Marrón.....KXIRP003
Negro.....KXIRP00K



P34C

GXI34000



32x64,2
Xian Blanco

Y300

KXI07000



32x32
Mosaico Xian Blanco



P34C

GXI34001



32x64,2
Xian Beige

P34D

GXI34005



32x64,2
Xian Miel

P34D

GXI34003



32x64,2
Xian Marrón

P34D

GXI3400K



32x64,2
Xian Negro

S600

GXI0700L



32x32
Decor Jade Plata

S600

GXI07005



32x32
Decor Jade Miel

S600

GXI07003



32x32
Decor Jade Marrón

S600

GXI0700K



32x32
Decor Jade Negro

32x32 Mosaico Xian Beige / Miel / Marrón / Negro



Y300

KXI07001



32x32
Mosaico Xian Beige

Y300

KXI07005



32x32
Mosaico Xian Miel

Y300


KXI07003



32x32
Mosaico Xian Marrón

Y300

KXI0700K



32x32
Mosaico Xian Negro





XIAN · 25X50




mate
matte



destacado
moderate variation

R25C


KXI19001



25x50
Xian Beige

R25D


KXI19003



25x50
Xian Marrón

R25C

KXI19005



25x50
Xian Miel

S550


KXI19007



25x50
Decor Imperial Oro

S410

KXIZN007



5,9x50
Listelo Qin Oro

S290

KXIN0003



3,8x50
Listelo Mikado Marron

R23F


KJP06005



23,5x33
Tesela Jaipur Miel

R25C

KXI19000



25x50
Xian Blanco

R25D


KXI1900K



25x50
Xian Negro

R25D

KXI19006



25x50
Xian Rojo

S550

KXI1900L



25x50
Decor Imperial Plata

S550


KXI1900M



25x50
Decor Imperial Bronze

S410


KXIZN00L



5,9x50
Listelo Qin Plata

S410

KXIZN00M



5,9x50
Listelo Qin Bronze

S290

KXIN0006



3,8x50
Listelo Mikado Rojo

R23F

KJP0600K



23,5x33
Tesela Jaipur Negra





no trazar +20%
to not trazo 20%

R60C

KJP12000



33x60
Jaipur Blanco

R60C

KJP12001



33x60
Jaipur Beige

S490

KJPN500K



10,4x60
Listelo Bengala Negro

S490


KJPN500S



10,4x60
Listelo Bengala Ambar

S400

KJPD00K



3,4x60
Listelo Delhi Negro

S400

KJPD00S



3,4x60
Listelo Delhi Ambar

R23F


KJP0600K



23,5x33
Tesela Jaipur Negro

R23F

KJP0600S



23,5x33
Tesela Jaipur Miel



multicolor



anti hielo
frost resistance



CLASE I
PE



destonificado
moderate variation



uso
use

P41C

GX111001



41x41
Xian Beige

P41D

GX111005



41x41
Xian Miel

P41D

GX11100K



41x41
Xian Negro

P41D

GX111003



41x41
Xian Marrón

P41D

GX111006



41x41
Xian Rojo

Rodapié 8x41

S080



Beige.....KXIRF001
MielKXIRF005
Marrón.....KXIRF003
Negro.....KXIRF00K

Rodapié Romo 8x41

S150



RojoKXIRF006

REVESTIMIENTO - DATOS TÉCNICOS / WALL TILES - TECHNICAL DATA

	Absorción de agua Water Absorption	Resistencia al rayado Scratch Resistance	Resistencia a productos de limpieza Resistance to household products	Resistencia a las manchas Resistance to staining	Resistencia ácidos y bases (alta concentración) Resistance to acids and alkalis (high concentration)	Resistencia ácidos y bases (baja concentración) Resistance to acids and alkalis (low concentration)	Espesor Thickness
	Norma / Norm	Norma / Norm	Norma / Norm	Norma / Norm	Norma / Norm	Norma / Norm	Norma / Norm
	ISO 10545-3	UNE EN - 101	ISO 10545-13	ISO 10545-14	ISO 10545-13	ISO 10545-13	ISO 10545-2
Formato Size	Valor Prescrito Standard Value > 10%	MOHS	Valor Prescrito Standard Value: Max.GA/UA	Valor Prescrito Standard Value: Max.5	Valor Prescrito Standard Value: Max.GHB/UHB	Valor Prescrito Standard Value: Max.GLA	Valor Prescrito Standard Value: ± 5%
33X60	Media / Average > 10	≥3	GA	5	GHB	GLB	10,5 mm.
25X50	Media / Average > 10	≥3	GA	5	GHB	GLB	9,6 mm.

PORCELÁNICO - DATOS TÉCNICOS / PORCELAIN TILES - TECHNICAL DATA

	Resistencia a la Helada Frost Resistance	Resistencia al rayado Scratch Resistance	Resistencia a productos de limpieza Resistance to household products	Resistencia a las manchas Resistance to staining	Resistencia ácidos y bases (alta concentración) Resistance to acids and alkalis (high concentration)	Espesor Thickness
	Norma / Norm	Norma / Norm	Norma / Norm	Norma / Norm	Norma / Norm	Norma / Norm
	ISO 10545-12	UNE EN-101	ISO 10545-13	ISO 10545-14	ISO 10545-13	ISO 10545-2
Formato Size	Valor Prescrito Standard Value: Exigida/Required	MOHS	Valor Prescrito Standard Value: Max.GA/UA	Valor Prescrito Standard Value: Max. 5	Valor Prescrito Standard Value: Max.GHA/UHA	Valor Prescrito Standard Value: ± 5%
100X50	Resiste/Resists	5	GA	5	GHA	13 mm.
100X24,8	Resiste/Resists	5	GA	5	GHA	13 mm.
64,2X64,2	Resiste/Resists	5	GA	5	GHA	11,3 mm.
41X41	Resiste/Resists	5	GA	5	GHA	8,7 mm.
32X64,2	Resiste/Resists	5	GA	5	GHA	11,3 mm.

EMBALAJE / PACKING LIST

formato size	artículo Item	pz/cj pcs/box	m2/ml/cj m2/ml/box	kg/cj kg/box	cj/epl box/epl	m2/ml/epl m2/ml/epl	Kg/epl Kg/epl
100X50	Base	2	1,00	30,00	24	24,00	743
100X24,8	Base	3	0,74	22,50	32	23,68	743
64,2X64,2	Base	2	0,82	19,58	40	32,80	806
41X41	Base	6	1,00	20,40	52	52,00	1.083
32X64,2	Base	4	0,82	19,40	48	39,36	954
25X50	Base	11	1,38	23,43	36	49,68	866
33X60	Base	5	1,00	19,75	40	40,00	813
100X24,8	Decor Dinastia	2	0,49	15,00	22	10,91	353
32X32	Decor Jade	8	0,81	19,44	36	29,49	722
25X50	Decor Imperial	8	1,00	17,04	27	27,00	483
23,5X33	Tesela Jaipur	12	0,94	15,60	63	59,22	1.005
32X32	Mosaico	8	0,82	16,80	42	34,44	728
10,4X60	Listelo Bengala	10	6,00	12,50	90	540,00	1.148
5,9X50	Listelo Qin	9	4,50	19,17	140	630,00	2.706
3,8X50	Listelo Mikado	9	4,50	2,88	196	882,00	587
3,4X60	Listelo Delhi	10	6,00	4,00	120	720,00	503
100X50	Peldaño Simple	2	1,00	30,00	24	24,00	743
100X50	Peldaño Doble	2	1,00	33,74	24	24,00	832
32X64,2	Peldaño Simple	4	2,56	19,40	48	123,27	954
32X64,2	Peldaño Doble	2	1,28	12,82	48	61,63	638
8X64,2	Rodapie	10	6,42	12,10	80	513,60	991
8X41	Rodapie	15	6,15	8,40	104	639,60	896

RECOMENDACIONES DE USO PARA NUESTROS PAVIMENTOS / RECOMMENDATIONS FOR THE USE OF OUR FLOOR TILES

Estas recomendaciones están basadas en la tipología del producto, así como en la intensidad del tráfico que van a soportar.

These recommendations are based on the type of product, as well as volume of traffic that is to be supported.

4 Tránsito medio. Viviendas en edificios, elementos comunes, cocinas, oficinas y viviendas unifamiliares.
Medium traffic. Apartments, common areas, kitchens, offices and family houses.

5 Tránsito intenso. Comercios, halls, locales públicos y centros comerciales.
High traffic. Commercial areas, halls and public buildings.