



Banca di Credito Cooperativo

Cesenatico, FC

Intervento / Job Description

Facciate Ventilate / Ventilated facades

Progetto architettonico

Architectonic plan

Geom. Ivan Bazzocchi,

Arch. Matteo Tosi - Toto contract

Localizzazione

Location

Sala di Cesenatico (FC)

Committente

Customer

BCC di Sala di Cesenatico

Superficie

Size

1000 mq

Anno di realizzazione

Year of implementation



2006


Il nuovo quartier generale

della piccola banca cooperativa sorge in una frazione rurale della cittadina di Cesenatico. Il forte radicamento dell'istituzione nel territorio è rivelato dalla forma compatta della costruzione, un vero e proprio "palazzo" che svetta sulla bassa edilizia circostante, e dal disegno originale dei prospetti, che combinano piacevolmente strutture metalliche e superfici ceramiche. Marazzi Engineering ha affiancato il progettista sin dalla fase iniziale, assistendolo nella formulazione dell'offerta per la gara di progettazione indetta dal committente. In quest'ambito la scelta della parete ventilata si è rivelata vincente, sia per le opportunità di risparmio energetico, resistenza e durevolezza offerte dal gres fine porcellanato Marazzi che per il carattere distintivo →

The new headquarters

of this local Cooperative bank is in a small country town, close to Cesenatico. The compact shape of the building, a true and proper "palazzo" towering over the lower buildings around it, was designed to call up the bank's deeply enrooted origins in the local territory in combination with the original design of the elevations, an attractive mixture of metal structures and ceramic surfaces. Marazzi Engineering worked alongside the architect right from the early stages, offering its advice for the preparation of the bid for the tender organized by the customer. The choice of a ventilated wall proved a great success: not only does Marazzi fine porcelain stoneware help save energy while being strong and durable, it also has a distinctive texture that is very reminiscent of stone. Marazzi Group supplied the ventilated wall as a "turnkey" solution, solving all of the aspects involved in the final plans in →






— prodotto da una texture che richiama fortemente la pietra. Il Gruppo Marazzi ha fornito la parete ventilata “chiavi in mano”, risolvendo ogni aspetto legato tanto alla progettazione esecutiva, svolta in perfetta unità d’intenti con il progettista e la committenza, quanto all’installazione, realizzata con agganci a vista. In quest’ultima fase il maggiore impegno ha riguardato lo studio e la realizzazione dei collegamenti con la pavimentazione e delle giunzioni tra la parete ventilata e le vetrate curve dell’angolo di ingresso.

— perfect harmony with the architect and the customer, and the actual installation using exposed hooks. The greatest difficulty encountered during the actual installation was how to connect the flooring and the joints between the ventilated wall and the curved glass windows in the entrance atrium.





Prodotti Marazzi utilizzati
Marazzi products used

Facciate ventilate
Ventilated facades
A.G.V. anchoring system
(supporting structure)
Percorsi series, colour Beige,
natural finish, size 30x60 cm

