




TERMOTECH

CARACTERÍSTICAS TÉCNICAS

- Montura cerámica de ½".
- Cartucho termostático con Sistema Hot Block de seguridad antiquemaduras y Sistema Termostop de bloqueo de la temperatura a 38°C.
- Caudal a 3 bar: Ducha (de 12 a 16 l/min) y Baño (>20 l/min).
- Nivel acústico a 3 bar < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0,3 micras de cromo.
- Presión de uso entre 1-5 bar, recomendada 3 bar. Resiste presiones estáticas ≤ 10 bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Resistente al choque térmico y químico anti-legionela.

TECHNICAL CHARACTERISTICS

- Ceramic ½" frame.
- Thermostatic cartridge with Hot Block anti-burn system and Termostop temperature blocking system to 38°C.
- Flow rate at 3 bars: Shower (12 to 16 l/min.) and Bath (>20/min.).
- Acoustic level at 3 bars: < 20 dB
- Chrome-plated brass: 15 microns thick of nickel, 0.3 microns of chrome.
- Working pressure between 1-5 bars, recommended: 3 bars. It resists static pressures ≤ 10 bars and water hammers of 25 bars.
- Recommended temperature for the hot water: 55°C. Maximum working temperature: 65°C. Maximum: 1h at 90°C.
- Resistant to thermal and anti-Legionella chemical shocks



+



EXPOTER1
MKX302625
Expositor contenedor termostática
Exhibitor container of thermostatic Box

+


CX963402SX12
96G303866
12 und. termostática
12 und. thermostatic

**963901S**

96C302243

Termostático de baño - ducha sin
equipo de ducha

Thermostatic Bath and shower
mixer without shower kit



Cartucho: 1701T- 4000

Cartridge: 1701T- 4000



TERMOTECH

NL

**963901NL**

96C302566

Termostático de baño - ducha
con equipo de ducha

Thermostatic Bath and shower
mixer without shower kit


963901S+3521NL+3547+1128C

**963402S**

96D303541

Termostático de ducha sin
equipo de ducha

Thermostatic shower mixer
without shower kit



Cartucho: 1703T + 1700C1/2

Cartridge: 1703T + 1700C1/2



NL

**963402NL**

96D303911

Termostático de ducha con
equipo de ducha

Thermostatic shower mixer with
shower kit

963402S+3521NL+3547+1128C

