




TZAR

CARACTERÍSTICAS TÉCNICAS

- Cartucho cerámico Ø35 mm
- Cartuchos monomando con Sistema Termostop Block de limitación de la temperatura máxima del agua caliente y Sistema de ahorro de agua S2 (disponible C2 en algunos modelos) mediante la apertura de la manecilla en dos fases.
- Cartucho termostático con Sistema Hot Block de seguridad antiquemaduras y Sistema Termostop de bloqueo de la temperatura a 38°C.
- Caudal a 3 bar: Lavabo y Fregadero (de 11 l/min). Bidé (5 l/min). Ducha (12 l/min). Baño (20 l/min).
- Nivel acústico a 3 bar: < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0.3 micras de cromo.
- Prestaciones de confort a nivel de fidelidad, sensibilidad y constancia en la selección de la temperatura.
- Resiste presiones estáticas ≤ 10 bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Presión de uso entre 1-5 bar. Recomendada 3 bar.
- Resistente al choque térmico y químico anti legionela.
- Garantía de 5 años en grifería y 2 años en complementos

TECHNICAL CHARACTERISTICS

- Ceramic cartridge Ø35 mm
- Mixer tap cartridge with Termostop Block System to limit the maximum hot water temperature and S2 Water Saving System (C2 available in some models) using a lever that opens in two phases.
- Thermostatic cartridge with Hot Block System for protecting against burns and Termostop System to limit the temperature to 38°.
- Water flow at 3 bar: Bathroom Sink and Kitchen Sink (11 l/min). Bidet (5 l/min). Shower (12 l/min). Bath (20 l/min).
- Sound level at 3 bar: < 20 dB.
- Chrome-plated brass: 15-micron thick nickel, 0.3 microns of chrome.
- Convenient with reliable, sensitive and consistent temperature selection.
- Withstands static pressures ≤ 10 bar and water hammer up to 25 bar.
- Recommended hot water temperature 55°C. Maximum usage temperature 65°C. Maximum 1 hour at 90°C.
- Usage pressure between 1-5 bar. Recommended 3 bar.
- Resistant to thermal shock and anti-legionella chemicals.
- 5-year warranty for taps and 2-year warranty for accessories



- Cromo
Chrome
- Negro mate
Black matte
- Niquel cepillado
Brushed nickel
- Oro cepillado
Brushed gold



- 340401


34A302435
- 340401NM

34A302369
- 340401NC

34A302368
- 340401OC

34A302370

Monomando para lavabo (M)
High wash basin mixer (M)




Cartucho: 35100-3
Cartridge: 35100-3






341001
34A302437
Monomando para lavabo (L)
High wash basin mixer (L)



Cartucho: 35100-3
Cartridge: 35100-3




340201
34A302436
340201NM
34A302352
340201NC
34A302351
340201OC
34A302354
Monomando para lavabo (XL)
High wash basin mixer (XL)



Cartucho: 35100-3
Cartridge: 35100-3



340301
34B302438
340301NM
34B302365
340301NC
34B302364
340301OC
34B302366
Monomando para bidé
Bidet Mixer



Cartucho: 35100-3
Cartridge: 35100-3




Recomendado:
Recommended:



1219L
197106
1219LNM
99Z302477
1219LNC
99Z302476
1219LOC
99Z302478

Valvula metálica para desagüe
sistema Quick Clack-Metal
Metal Quick Clack waste brass
valve



3790
198960
3790NM
99Z302332
3790NC
99Z302331
3790OC
99Z302333

Sifón cromado
Bottletrap

Cromo
Chrome
 Negro mate
Black matte
 Níquel cepillado
Brushed nickel
 Oro cepillado
Brushed gold



342101

34A302440

Monomando para lavabo
empotrado con caño de 19 cm
Concealed wash basin mixer 19
cm spout

342103

34A302441




342103NM
34A302489

342103NC
34A302487

342103OC

34A302490

Monomando para lavabo
empotrado con caño de 24 cm
Concealed wash basin mixer with
24 cm. spout



Cartucho: 35100-2

Cartridge: 35100-2

KIT DE AMPLIACIÓN - EXTENSION SET: KAB



342001

34A302439

342001NM

34A302484



342001NC

34A302483

342001OC

34A302485

Monomando para lavabo
empotrado con placa
Concealed wash basin mixer



Cartucho: 35100-2

Cartridge: 35100-2


KIT DE AMPLIACIÓN - EXTENSION SET: KAB



341691

34A302465

Monomando de lavabo
empotrado salida cascada
Concealed single lever with
cascade output



Cartucho: 35100

Cartridge: 35100

XX1801+3400N-35+169+RB21H

KIT DE AMPLIACIÓN - EXTENSION SET: KA1V



RESTYLING



347602S

34A303369

347602SNM

34A303863

347602SNC


34A303864

347602SOC

34A303865

Monomando de columna para lavabo

Washbasin column mixer



Cartucho: 35000-2

Cartridge: 35000-2

RESTYLING



348503S

34C303356

348503SNM

34C303383

348503SNC

34C303386

348503SOC

34C303384

Monomando de columna para baño sin equipo de ducha

Single lever column bath-shower without shower kit

348503MO

34C303357

3485015+3713M+2471C

348503DNC

34C303387

348503SNM+3714NM+2475CNC

348503DNC

34C303389

348503SNC+3714NC+2475CNC


348503DOC

34C303388

348503SOC+3714OC+2475COC

Monomando de columna para baño ducha con equipo de ducha

Single lever column bath-shower without shower kit



Cartucho: 35000-2

Cartridge: 35000-2

Cromo
Chrome

Negro mate
Black matte

Niquel cepillado
Brushed nickel

Oro cepillado
Brushed gold






340501S
34C302442

360501SNM
34C303664

Monomando de baño - ducha sin
equipo de ducha
Bath and shower mixer without
shower kit



Cartucho: 35100 (6689 C2)
Cartridge: 35100 (6689 C2)



TZAR

TR



340501TR
34C302444

Monomando de baño - ducha
con equipo de ducha
Bath and shower mixer with
shower kit

340501S + 5813 TR
REF: 2877 TR+3726M+2472C



BT



340501BTNM
34C303669

Monomando de baño - ducha
con equipo de ducha
Bath and shower mixer with
shower kit


340501SNM + 2875BTNM
+ 372602NM + 2475CNM



340801S
34C302445

340801SNM
34D303665

Monomando de ducha sin
equipo de ducha
Shower mixer without shower kit



Cartucho: 35100-3
Cartridge: 35100-3



TR



340801TR
34D302446

Monomando de ducha con
equipo de ducha
Shower mixer with shower kit

340801S + 5813TR
REF: 5813TR (2877 TR+3726M+2472C)



BT



340801BTNM
34C303670

Monomando de ducha con
equipo de ducha
Shower mixer with shower kit

340801SNM + 2875BTNM
+ 372602NM + 2475CNM



Cromo
Chrome

Negro mate
Black matte

Níquel cepillado
Brushed nickel

Oro cepillado
Brushed gold



1 VIA/WAY

341801S

34D302466

XX1801+3400N-35+KU1

341801SNM

34C302393

341801SNC

34C302392

341801SOC

34C302481

Conjunto monomando de ducha empotrado 1 vía con placa metálica y sin equipo ducha


Single lever 1 way concealed shower valve with metallic plate, without shower kit

Cartucho: 35100 (6689-2)

Cartridge: 35100 (6689-2)

XX1801	1 bar	3 bar	5 bar
A l/min	17	26	31

KIT DE AMPLIACIÓN - EXTENSION SET: KA1V



2 VIAS/WAY

341502S

34C302454

XX1502+3400N-35+365100+KU2

341502SNM

34C302384

341502SNC

34C302383

341502SOC

34C302385

Conjunto monomando de baño-ducha empotrado 2 vías con placa metálica sin equipo ducha



Single lever 2 way concealed bath-shower valve with metallic plate without shower kit

Cartucho: 35100 (6689-2) + 4004

Cartridge: 35100 (6689-2) + 4004

XX1502	1 bar	3 bar	5 bar
A l/min	14	24	30
B l/min	13	22	29

KIT DE AMPLIACIÓN - EXTENSION SET: KA2V



3 VIAS/WAY

341503S

34C302525

XX1503+3400N-35+365100+KU3

341503SNM

34C302388

341503SNC

34C302387

341503SOC

34C302390

Conjunto monomando de baño-ducha empotrado 3 vías con placa metálica sin equipo ducha


Single lever 3 way concealed bath-shower valve with metallic plate without shower kit

Cartucho: 35100 (6689-2) + 4003

Cartridge: 35100 (6689-2) + 4003

XX1503	1 bar	3 bar	5 bar
A l/min	13	22	28
B l/min	13	21	26
B l/min	13	21	26

KIT DE AMPLIACIÓN - EXTENSION SET: KA3V



Conjunto 1 VÍA EMPOTRADO . SINGLE LEVER 1 WAY**K3418012**

34D302876

341801S+BHRM250

K3418012NM

34D302890

K3418012NC


34D302892

K3418012OC

34D302891

Conjunto monomando empotrado 1 vía con con rociador metálico mural Ø250 mm.

Single lever 1 way with metal wall shower head Ø 250 mm.



Cartucho: 35100

Cartridge: 35100



TZAR

Conjunto 2 VIAS EMPOTRADOS . SINGLE LEVER 2 WAY**K3415021**

34D302878

341801S+BHRM250+3713M+3796+2472C

K3415021NM

34D302896

K3415021NC


34D302898

K3415021OC

34D302897

Conjunto monomando empotrado 2 vías con soporte más toma de agua, teleducha y rociador mural metálico Ø250 mm.

Single lever 2 way with support plus water intake, hand shower and metal wall shower head Ø 250 mm.



Cartucho: 35100+4004

Cartridge: 35100+4004


- Cromo
Chrome
- Negro mate
Black matte
- Niquel cepillado
Brushed nickel
- Oro cepillado
Brushed gold



- 343901S**
34C302449
- 343901SNM**
34C302502
- 343901SNC**
34C302501
- 343901SOC**
34C302503

Termostático de baño - ducha
salida cascada , sin equipo de
ducha
Bathtub thermostatic with
cascade stream, without shower
kit

Cartucho: 1701 T + 4001
Cartridge: 1701 T + 4001



D1



- 343901DNC**
34C302679
- 343901DNM**
34C302680
- 343901DOC**
34C302681

Termostático de baño - ducha, con
equipo de ducha
Thermostatic bath-shower mixer,
with shower set



TR



- 343901TR**
34C302464
- Termostático de baño - ducha
salida cascada , con equipo
de ducha
Bathtub thermostatic with
cascade stream, with
shower kit


343901S + 5813TR
2877 TR+3726M+2472C



- 343401S**
34D302447
- 343401SNM**
34D302498
- 343401SNC**
34D302496
- 343401SOC**
34D302499

Termostático de ducha sin equipo
de ducha
Thermostatic shower mixer
without shower kit

Cartucho: 1701 T + 1700C 1/2"
Cartridge: 1701 T + 1700C 1/2"



D



- 343401DNC**
34C302676
- 343401DNM**
34C302677
- 343401DOC**
34C302678

Termostático de baño - ducha, con
equipo de ducha
Thermostatic bath-shower mixer,
with shower set



TR



- 343401TR**
34D302448
- Termostático de ducha con
equipo de ducha
Shower thermostatic, with
shower kit.

343401S + 5813TR
REF: 2877 TR + 3726M + 2472C





Cromo
Chrome

Negro mate
Black matte

Níquel cepillado
Brushed nickel

Oro cepillado
Brushed gold



1 VIA/WAY

342411S

34D302526

XX2411+KTU1+345000+345100

342411SNM

34D302493

342411SNC

34D302492

342411SOC


34D302494

Conjunto termostático de baño-
ducha empotrado de 1 vía, sin equipo
ducha

Thermostatic concealed shower valve
with 1 way, without shower kit

XX2411S	1 bar	3 bar	5 bar
A l/min	17	26	31

KIT DE AMPLIACIÓN - EXTENSION SET: KATEDIO4



Cartucho: 1703T + 1700C3/4"

Cartridge: 1703T + 1700C3/4"

348712S

34D302527

XX8712+KTU2+345000+345100

348712SNM

34D302511

348712SNC

34D302510

348712SOC


34D302512

Conjunto termostático de baño-
ducha empotrado de 2 vías, sin
equipo ducha

Thermostatic concealed shower valve
with 2 way, without shower kit

XX8712S	1 bar	3 bar	5 bar
A l/min	17	26	31
B l/min	13	22	28

KIT DE AMPLIACIÓN - EXTENSION SET: KAETIO3



2 VIAS/WAY

Cartucho: 1703T + 4000


Cartridge: 1703T + 4000

Conjunto 1 VÍA TERMOSTÁTICOS EMPOTRADO . THERMOSTATIC 1 WAY

K3424012
34D302753

Conjunto empotrado 1 vía
termostático con rociador mural
metálico Ø250 mm.

Thermostatic single lever 1 way
concealed with metal wall shower
head Ø 250 mm..




Cartucho: 1703T + 1700C^{3/4}
Cartridge: 1703T + 1700C^{3/4}
342411S+BHRM250

**Conjunto 2 VIAS TERMOSTÁTICO EMPOTRADOS . THERMOSTATIC 2 WAY**

K3487011
34D302759

Conjunto empotrado 2 vías
termostático con soporte más
toma de agua, teleducha y
rociador mural metálico Ø 250
mm.

Thermostatic 2 way concealed with
support plus water intake, hand
shower and metal wall shower
head Ø 250 mm.



Cartucho: 1703T + 1700C^{3/4}
Cartridge: 1703T + 1700C^{3/4}
34218712S+BHRM250+3713M+3796+2472C



- Cromo
Chrome
- Negro mate
Black matte
- Niquel cepillado
Brushed nickel
- Oro cepillado
Brushed gold



345402RK300N

34D303725


Conjunto termostático gran ducha con columna telescópica, accesorios metálicos

Thermostatic shower column adjustable height, metal accesorios

Cartucho: 1701T + 4000

Cartridge: 1701T + 4000

341202S+DN130D+RK300N+4713MK+2472C




341202S

34D303525

Cuerpo termostático gran ducha

Thermostatic shower mixer



345402RM300

34D303726

341202S+DN130D+RM300+3713M+2472C

345402RM250NM

34D303737 Ø250 cm

341202SNM+DN130DNM+RM250NM+3714NM+2475CNC

345402RM250NC

34D303735 Ø250 cm

341202SNC+DN130DNC+RM250NC+3714NC+2475CNC


345402RM250OC

34D303739 Ø250 cm

341202SOC+DN130DOC+RM250OC+3714OC+2475COC

Conjunto termostático gran ducha con columna telescópica, accesorios metálicos

Thermostatic shower column adjustable height, metal accesorios



341202S

34D303525

341202SNM

34D303744

341202SNC

34D303742

341202SOC

34D303746

Cuerpo termostático gran ducha

Thermostatic shower mixer

Cartucho: 1701T + 4000

Cartridge: 1701T + 4000





- Cromo

Chrome
- Negro mate

Black matte
- Níquel cepillado

Brushed nickel
- Oro cepillado


Brushed gold



343303TM
34C302458

Conjunto termostático de baño-
ducha para repisa, con equipo de
ducha metálico
Deck mounted thermostatic
bathtub set with metal shower
kit


Cartucho: 1700 TE + 4000
Cartridge: 1700 TE + 4000
T3433 + D3433 + 9989SC + 3713M + CR01 + 2850C



343303TSCAM
34C302459

Conjunto termostático de baño-
ducha para repisa sin caño, con
equipo de ducha
Deck mounted thermostatic
bathtub set without spout

Cartucho: 1700 TE + 4000
Cartridge: 1700 TE + 4000
T3433 + D3433 + 9989SC + 3713M + 2850C




Recomendado:
Recommended:



100502
AAZ302174

Repisa extraíble con depósito para
el agua de conjunto baño
Mounting block with height-
adjustable panel and tube box for
bath deck (included)



100502R
AAZ302626

Repisa soporte para conjunto
baño
Mounting plate for bath deck

