

- 1. [Baignoires](#)
- 2. [Rectangulaires](#)
- 3. [Mitta](#)
- 4. 62711



Emotive Essential. Hydromassage Water 160x70

Système Emotive Essencial



Pneumatic push-button



Side jet with water-air massage. Stimulation of the capillary, lymphatic and cardiovascular circulation.



Jet intensity control softening or reinforcing their power.



Feet jet. A comforting massage in the feet area after a day at work.

COULEURS / FINITIONS

- 01
Blanc

ARTICLES

Ref.	Produit / Ensemble	Mesures
62711	Baignoire hydromassage eau, bouton pneumatique et régulateur d'intensité.	160 x 70 cm
Options		
67429	Tablier frontal de 160 x 50 cm.	160 cm
67432	Tablier latéral de 70 x 50 cm.	70 cm
Accessoires		
41190	Appuie-tête polyuréthane gris clair	

INFORMATIONS SUR LE PRODUIT

Caractéristiques

Mitta hydromassage water, pneumatic push button, intensity control, automatic waste, 4 side jets and 2 feet jets. / 44 kg. / 1 unit pallet.

Des informations utiles

Gala baths may be purchased with or without skirting panel. The location of the hydromassage system facilitates the installation of the enclosure. The chassis is free-standing, enabling its installation with the least possible disruption. The disinfectant for hydromassage baths with automatic disinfection is available at Gala.

Garantie

Gala products are guaranteed against any manufacturing defects, from the date of purchase of the product, only if the installation has been carried out in accordance with Gala’s installation instructions and, applying the current legislation on electrical and sanitary appliances, by authorised staff. The guarantee period for acrylic products is of 2 years.

Installation

Please check our product installation manuals.

Certifications

High quality is a constant at Gala in order to guarantee the technical and aesthetic features as well as the performance of our products. Please check our product quality certificates.


Entretien

Cleaning of the bath should be carried out using a soft sponge, soap and water. After cleaning, the bath should be dried so as to prevent limescale forming. No abrasive products, solvents or objects that could damage the bath surface should be used. Should the bath surface be scratched accidentally, it should be enough just to go over the surface with a solvent-free polish. If necessary, the scratch can first be wet-sanded with 800 G wet-and-dry sandpaper, then wet-sanded with 1200 G paper, before finally applying the polish.

AMBIANCE



DESSINS TECHNIQUES



Téléchargement

2D

-  165.11 KB  Emotive Essential. Hydromassage Water 160x70 - Técnico (.AI)
-  358.71 KB  Emotive Essential. Hydromassage Water 160x70 - Técnico (.DWG)
-  2.46 MB  Emotive Essential. Hydromassage Water 160x70 - Técnico (.DXF)
-  176.87 KB  Emotive Essential. Hydromassage Water 160x70 - Técnico (.PDF)

bimobject

-  ArchiCAD 
-  Revit 