

1. [Baignoires](#)
2. [Rectangulaires](#)
3. [Nila](#)
4. 60411



Rectangular non-hydro 140x70

COULEURS / FINITIONS

01
Blanc

ARTICLES

Ref.	Produit / Ensemble	Mesures
60411	Baignoire sans pieds, châssis et vidage. Accessoires	140 x 70 cm
68005	Vidage automatique en chrome.	
41560	Ensemble Châssis avec pieds réglables pour baignoire autoportant Mitta et Nila de 70 cm.	

INFORMATIONS SUR LE PRODUIT

Caractéristiques
Nila without feet, chassis and waste. Capacity 140 l.

Des informations utiles
Gala baths may be purchased with or without skirting panel. The location of the hydromassage system facilitates the installation of the enclosure. The chassis is free-standing, enabling its installation with the least possible disruption. The disinfectant for hydromassage baths with automatic disinfection is available at Gala.

Garantie
Gala products are guaranteed against any manufacturing defects, from the date of purchase of the product, only if the installation has been carried out in accordance with Gala's installation instructions and, applying the current legislation on electrical and sanitary appliances, by authorised staff. The guarantee period for acrylic products is of 2 years.

Installation
[Please check our product installation manuals.](#)



Entretien
Cleaning should be carried out using a soft sponge, soap and water. After cleaning, it should be dried so as to prevent limescale forming. No abrasive products, solvents or

objects that could damage the surface should be used. Should any scratching occur accidentally, it should be enough just to go over the surface with a solvent-free polish. If necessary, the scratch can first be wet-sanded with 800 G wet-and-dry sandpaper, then wet-sanded with 1200 G paper, before finally applying the polish.

AMBIANCE



DESSINS TECHNIQUES



	A	B	C
160 x 75 cm.	160	75	278
170 x 75 cm.	170	75	278
140 x 70 cm.	140	70	258
150 x 70 cm.	150	70	258
160 x 70 cm.	160	70	278
170 x 70 cm.	170	70	278

Téléchargement

2D

-  107.23 KB  Rectangular non-hydro 140x70 - Técnico (.AI)
-  65.18 KB  Rectangular non-hydro 140x70 - Técnico (.DWG)
-  482.28 KB  Rectangular non-hydro 140x70 - Técnico (.DXF)
-  120.74 KB  Rectangular non-hydro 140x70 - Técnico (.PDF)