

- 1. [Colecciones](#)
- 2. [Sistemas de Instalación](#)
- 3. [PL8](#)
- 4. 5056070



Double flush push-button

COLORES / ACABADOS



70
Mate

ARTÍCULOS

Ref.	€/u	Producto/Conjunto	Medidas
5056070	43,0 €	Pulsador Doble descarga PL8 Cromo mate Componentes/Instalación	
55400	210,1 €	Pro WC System. Soporte para inodoro con cisterna de doble descarga ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros.	
55410	166,3 €	Basic WC System. Tanque para inodoro con cisterna de doble descarga ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros.	
55411	111,8 €	Basic Tank System. Tanque empotrable con mecanismo de doble descarga ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros	
55470	313,0 €	Pro WC System Compact. Tanque para inodoro suspendido con cisterna compacta de doble descarga. Ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros.	
55471	250,0 €	Basic WC System Compact. Tanque para inodoro suspendido con cisterna compacta de doble descarga. Ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros.	
55472	160,0 €	Basic Tank System Compact. Tanque para inodoro suspendido con cisterna compacta de doble descarga. Ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros.	

INFORMACIÓN DE PRODUCTO

Características
Chromed matt dual flush push-button PL8

Garantía
Gala products are guaranteed against any manufacturing defects, from the date of purchase of the product, only if the installation has been carried out in accordance with Gala’s installation instructions and, applying the current legislation on electrical and sanitary appliances, by authorised staff. The guarantee period is of 5 years.

Instalación
[Please check our product installation manuals.](#)



Certificaciones

High quality is a constant at Gala in order to guarantee the technical and aesthetic features as well as the performance of our products. Please check our product quality certificates.

Mantenimiento

For periodical cleaning use a soft cloth and soap and water. Dry the push-button after cleaning. If you use cleaning products such as gels, liquid cleaners or anti-limescale products, always read the manufacturers’ instructions first. After using the products always rinse the push-button with clean water. Do not use abrasive products such as bio-alcohol, bleach, hydrochloric acid, ammonia, acetone or other similar products. Do not use aggressive scourers.

DIBUJOS TÉCNICOS



DESCARGAS

2D

-  112.07 KB  Double flush push-button - Técnico (.AI)
-  213.96 KB  Double flush push-button - Técnico (.DWG)
-  1.7 MB  Double flush push-button - Técnico (.DXF)
-  122.88 KB  Double flush push-button - Técnico (.PDF)