

- 1. Bañeras
- 2. Rectangulares
- 3. Mitta
- 4. 62485



Emotive Touch. Hydromassage Water 170x80

Sistema Emotive Touch



Electronic push-button. Activated with a simple touch.



Side jet with water-air massage. Stimulation of the capillary, lymphatic and cardiovascular circulation.



Feet jet. A comforting massage in the feet area after a day at work.



Intensity control of the jets softening or reinforcing their power.

COLORES / ACABADOS

01
Blanco

ARTÍCULOS

Ref.	€/u	Producto/Conjunto	Medidas
62485	1.160,0 €	Bañera hidromasaje agua, pulsador electrónico, regulador de intensidad y sonda de nivel.	170 x 80 cm
Opciones			
67428	171,4 €	Faldón frontal de 170 x 50 cm.	170 cm
67430	132,6 €	Faldón lateral de 80 x 50 cm.	80 cm
Accesorios			
41411		Reposacabezas poliuretano gris claro.	

INFORMACIÓN DE PRODUCTO

Características

Mitta hydromassage water, electronic push button, intensity control, water level indicator, automatic waste, 4 side jets and 2 feet jets. / 44 kg. / 1 unit pallet.

Información de utilidad

Gala baths may be purchased with or without skirting panel. The location of the hydromassage system facilitates the installation of the enclosure. The chassis is free-standing, enabling its installation with the least possible disruption. The disinfectant for hydromassage baths with automatic disinfection is available at Gala.

Garantía

Gala products are guaranteed against any manufacturing defects, from the date of purchase of the product, only if the installation has been carried out in accordance with Gala's installation instructions and, applying the current legislation on electrical and sanitary appliances, by authorised staff. The guarantee period for acrylic products is of 2 years.

Instalación

Please check our product installation manuals.

Certificaciones

High quality is a constant at Gala in order to guarantee the technical and aesthetic features as well as the performance of our products. Please check our product quality certificates.


Mantenimiento

Cleaning of the bath should be carried out using a soft sponge, soap and water. After cleaning, the bath should be dried so as to prevent limescale forming. No abrasive products, solvents or objects that could damage the bath surface should be used. Should the bath surface be scratched accidentally, it should be enough just to go over the surface with a solvent-free polish. If necessary, the scratch can first be wet-sanded with 800 G wet-and-dry sandpaper, then wet-sanded with 1200 G paper, before finally applying the polish.

AMBIENTE



DIBUJOS TÉCNICOS



DESCARGAS

2D

-  156.16 KB  Emotive Touch. Hydromassage Water 170x80 - Técnico (.AI)
-  432.09 KB  Emotive Touch. Hydromassage Water 170x80 - Técnico (.DWG)
-  3.91 MB  Emotive Touch. Hydromassage Water 170x80 - Técnico (.DXF)
-  169.51 KB  Emotive Touch. Hydromassage Water 170x80 - Técnico (.PDF)

bimobject

-  ArchiCAD 
-  Revit 