

- 1. [Colecciones](#)
- 2. [suspendidas](#)
- 3. [Street Square](#)
- 4. 5536600



Tamper-proof push-button

COLORES / ACABADOS

00 Sin
color

ARTÍCULOS

Ref.	€/u	Producto/Conjunto	Medidas
5536600	136,3 €	Pulsador Antivandálico PL3 Acero Inoxidable Componentes/Instalación	
55400	210,1 €	Pro WC System. Soporte para inodoro con cisterna de doble descarga ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros.	
55410	166,3 €	Basic WC System. Tanque para inodoro con cisterna de doble descarga ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros.	
55411	111,8 €	Basic Tank System. Tanque empotrable con mecanismo de doble descarga ajustable a 6/3 litros, 4,5/3 litros y 4/2 litros	

INFORMACIÓN DE PRODUCTO

Características
Vandal resistant push-button PL3 Stainless steel.

Garantía
Gala products are guaranteed against any manufacturing defects, from the date of purchase of the product, only if the installation has been carried out in accordance with Gala’s installation instructions and, applying the current legislation on electrical and sanitary appliances, by authorised staff. The guarantee period is of 5 years.

Instalación
[Please check our product installation manuals.](#)

Certificaciones

High quality is a constant at Gala in order to guarantee the technical and aesthetic features as well as the performance of our products. Please check our product quality certificates.



Mantenimiento

For periodical cleaning use a soft cloth and soap and water. Dry the push-button after cleaning. If you use cleaning products such as gels, liquid cleaners or anti-limescale products, always read the manufacturers' instructions first. After using the products always rinse the push-button with clean water. Do not use abrasive products such as bio-alcohol, bleach, hydrochloric acid, ammonia, acetone or other similar products. Do not use aggressive scourers.

AMBIENTE



DIBUJOS TÉCNICOS



DESCARGAS

2D

-  1.01 MB  Tamper-proof push-button - Técnico (.AI)
-  58.87 KB  Tamper-proof push-button - Técnico (.DWG)
-  432.54 KB  Tamper-proof push-button - Técnico (.DXF)
-  225.84 KB  Tamper-proof push-button - Técnico (.PDF)

3D

-  445.08 KB  Tamper-proof push-button - 3D (.DWG)



-  ArchiCAD 
-  Revit 

VÍDEOS